PASADENA

GLASS SHOWER ENCLOSURE BY-PASS DOOR

SLIDING ROLLER LAYOUT

ELEVATION
Option 1 - Right Sliding
Option 2 - Left Sliding
Available in 3/8" (10mm)
1/2" (12mm) glass is not recommended

SERIES
Pasadena

KEYNOTES

A. Top track
B. Trolley hardware
C. Anti-jump hardware
D. Side rail
E. Concealed panel guide
F. Towel bar hardware
G. Shower curb
H. Side rail shoe
J. Glass door edge protector
K. 3/8" thick sliding glass door
L. Bottom rail

NOTES

- 54" min. to 60" max finished opening
- Glass available in 3/8" (10mm) tempered. 1/2" (12mm) glass is not recommended
- Panel overlap varies
- Hydrophobic coating is available upon request at an additional charge

ELEVATION





PASADENA SERIES

SECTION A



SECTION A

SECTION B



SECTION B

SPECIFICATIONS



- Max height is 78" OA (top of glass to curb)
- Panels overlap (overall width/2) + 1" to get overall panel width
- Low iron is available upon request
- Hydrophobic coating available upon reaquest *(This makes cleaning the glass easier)*

NOTE: Depending on application, all shower enclosures will come with adjustable trolley

TROLLEY HARDWARE

Top Rail

Door Handle

Roller

Bottom Rail

PASADENA SERIES

TROLLEY HARDWARE

SIDE RAIL



BOTTOM RAIL





PANEL GUIDE



ANTI-JUMP



TROLLEY



TOP RAIL



HARDWARE PULL

ACPA6316 16" Towel Bar