




IBIZA SHOWER ENCLOSURE INSTALLATION INSTRUCTIONS



2 PEOPLE REQUIRED

***Please keep this manual and product code number for future reference
and for ordering replacement parts if necessary.***

GENERAL INSTRUCTIONS

- Read this manual carefully and completely before proceeding.
- It is recommended that you wear safety glasses at all times during the installation.

INSTALLATION OVER CERAMIC TILES

- If your shower door is to be installed over ceramic tiles, the tiles should lay completely under the wall jamb.
- Silicone should be used to seal the gap where the ceramic tiles meet the fixed panel.

NOTICE

- Caulking: no sealant is required inside the shower, unless otherwise stated.
- Some models are equipped with clear sealing gaskets.











CARE FOR YOUR SHOWER DOOR

- Never use scouring powder pads or sharp instruments on metal pieces or glass panels.

An occasional wiping down with a mild soap diluted in water is all that is needed to keep the panels and metal parts looking new.


- We recommend wiping the glass panels with a squeegee after each use.

TOOLS REQUIRED


| | | | | |
|--|--|---|--|--|
|  SPIRIT LEVEL |  POWER DRILL |  PENCIL |  SILICONE |  MALLET |
|  TAPE MEASURE |  SCREW DRIVER |  6mm&3mm(1/4" & 1/8") DRILL BITS |  HACKSAW |  SAFETY GLASSES |

* Use a 6mm($\frac{1}{4}$ ") drill bit for ceramic when drilling into ceramic tiles

CHOOSE A CONFIGURATION













OPEN FROM RIGHT













OPEN FROM LEFT




PARTS LISTING




| ITEM | PARTS | DIAGRAM | QTY |
|------|--------------------|---|-----|
| 1 | Guide rail bracket |  | 2 |
| 2a | Stopper |  | 2 |
| 2b | Stopper |  | 2 |
| 3 | Rail |  | 1 |
| 4 | Glass fastener |  | 2 |
| 5 | Wall profile |  | 1 |
| 6 | Fixed panel |  | 1 |
| 7 | Wall plugs Ø6 |  | 3 |
| 8 | Screw St4x30 |  | 3 |

| ITEM | PARTS | DIAGRAM | QTY |
|------|-----------------------|---|-----|
| 9 | Guide block |  | 1 |
| 10 | Anti-splash threshold |  | 1 |
| 11 | Ø55 Roller |  | 4 |
| 12 | Screw St5x40 |  | 2 |
| 13 | Wall plugs Ø8 |  | 2 |
| 14 | Door gasket |  | 2 |
| 15 | Sliding door |  | 1 |
| 16 | Fixed panel gasket |  | 1 |
| 17a | Handle |  | 1 |
| 17b | Handle |  | 1 |


1




2







Open from right



Open from left







3








Open from right

3








Open from left

4





Open from right

4





Open from left

5




Open from right

5




Open from left



6







7





8







Open from right




8




Open from left




9




10





11



12



13



24 HOURS